

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal204bxd

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1	Web Page URLs for STN Seminar Schedule - N. America
NEWS 2	"Ask CAS" for self-help around the clock
NEWS 3 JAN 27	Source of Registration (SR) information in REGISTRY updated and searchable
NEWS 4 JAN 27	A new search aid, the Company Name Thesaurus, available in CA/Caplus
NEWS 5 FEB 05	German (DE) application and patent publication number format changes
NEWS 6 MAR 03	MEDLINE and LMEDLINE reloaded
NEWS 7 MAR 03	MEDLINE file segment of TOXCENTER reloaded
NEWS 8 MAR 03	FRANCEPAT now available on STN
NEWS 9 MAR 29	Pharmaceutical Substances (PS) now available on STN
NEWS 10 MAR 29	WPIFV now available on STN
NEWS 11 MAR 29	New monthly current-awareness alert (SDI) frequency in RAPRA
NEWS 12 APR 26	PROMT: New display field available
NEWS 13 APR 26	IFIPAT/IFIUDB/IFICDB: New super search and display field available
NEWS 14 APR 26	LITALERT now available on STN
NEWS 15 APR 27	NLDB: New search and display fields available
NEWS 16 May 10	PROUSDDR now available on STN
NEWS 17 May 10	PROUSDDR: One FREE connect hour, per account, in both May and June 2004
NEWS EXPRESS	MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS INTER	General Internet Information
NEWS LOGIN	Welcome Banner and News Items
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN
NEWS WWW	CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 20:14:35 ON 11 MAY 2004

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 20:14:42 ON 11 MAY 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 10 MAY 2004 HIGHEST RN 681120-30-9
 DICTIONARY FILE UPDATES: 10 MAY 2004 HIGHEST RN 681120-30-9

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
 information enter HELP PROP at an arrow prompt in the file or refer
 to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> fil casreact		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.42	0.63

FILE 'CASREACT' ENTERED AT 20:14:47 ON 11 MAY 2004
 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
 held by the publishers listed in the PUBLISHER (PB) field (available
 for records published or updated in Chemical Abstracts after December
 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 9 May 2004 VOL 140 ISS 19


Some records from 1974 to 1991 are derived from the ZIC/VINITI data file
 and provided by InfoChem and some records are produced using some INPI
 data from the period prior to 1986.

This file contains CAS Registry Numbers for easy and accurate substance
 identification.

Crossover limits have been increased. See HELP RNCROSSOVER for details.

Structure search limits have been raised. See HELP SLIMIT for the new,
 higher limits.

=>
 Uploading C:\Program Files\Stnexp\Queries\10696021.str



chain nodes :

1 2 3 4 5 6 12 13 14 17 18 19 20 21 22 23 29 30 31

ring nodes :

7 8 9 10 11 24 25 26 27 28

chain bonds :

1-2 2-3 2-4 4-5 4-6 6-7 7-12 12-13 12-14 17-18 18-19 18-20 20-21 20-22
20-23 23-24 24-29 29-30 29-31

ring bonds :

7-8 7-11 8-9 9-10 10-11 24-25 24-28 25-26 26-27 27-28

exact/norm bonds :

1-2 2-3 7-8 7-11 8-9 9-10 10-11 12-13 12-14 17-18 18-19 24-25 24-28
25-26 26-27 27-28 29-30 29-31

exact bonds :

2-4 4-5 4-6 6-7 7-12 18-20 20-21 20-22 20-23 23-24 24-29

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:Atom 9:Atom
10:Atom 11:Atom 12:CLASS 13:CLASS 14:CLASS 17:CLASS 18:CLASS 19:CLASS
20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom
29:CLASS 30:CLASS 31:CLASS

fragments assigned product role:

containing 17


fragments assigned reactant/reagent role:

containing 1

L1 STRUCTURE UPLOADED

=> d query

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 20:15:11 FILE 'CASREACT'

```
100.0% DONE      1 VERIFIED      0 HIT RXNS      0 DOCS
SEARCH TIME: 00.00.01
```

```

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH    **COMPLETE**
PROJECTED VERIFICATIONS: 1 TO      79
PROJECTED ANSWERS:       0 TO      0

```

L2 0 SEA SSS SAM L1 (0 REACTIONS)

=> s ll full


FULL SEARCH INITIATED 20:15:15 FILE 'CASREACT'
SCREENING COMPLETE - 50 REACTIONS TO VERIFY FROM 14 DOCUMENTS

```
100.0% DONE      50 VERIFIED      0 HIT RXNS      0 DOCS
SEARCH TIME: 00.00.01
```

L3 0 SEA SSS FUL L1 (0 REACTIONS)

 \approx

Uploading C:\Program Files\Stnexp\Queries\10696021.str



chain nodes :

1 2 3 4 5 6 12 13 14 17 18 19 20 21 22 23 29 30 31

ring nodes :

7 8 9 10 11 24 25 26 27 28

chain bonds :

1-2	2-3	2-4	4-5	4-6	6-7	7-12	12-13	12-14	17-18	18-19	18-20	20-21	20-22
20-23	23-24	24-29	29-30	29-31									

ring bonds :

7-8 7-11 8-9 9-10 10-11 24-25 24-28 25-26 26-27 27-28

exact/norm bonds :

1-2 2-3 7-8 7-11 8-9 9-10 10-11 12-13 12-14 17-18 18-19 24-25 24-28
25-26 26-27 27-28 29-30 29-31

exact bonds :

2-4 4-5 4-6 6-7 7-12 18-20 20-21 20-22 20-23 23-24 24-29

Match level :

```
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:Atom 9:Atom
10:Atom 11:Atom 12:CLASS 13:CLASS 14:CLASS 17:CLASS 18:CLASS 19:CLASS
20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom
29:CLASS 30:CLASS 31:CLASS
```

```

fragments assigned product role:

```

containing 17


fragments assigned reactant/reagent role:

containing 1

L4 STRUCTURE UPLOADED

=> d query
L4

STR



Structure attributes must be viewed using STN Express query preparation.

=> s l4

SAMPLE SEARCH INITIATED 20:16:24 FILE 'CASREACT'

SCREENING COMPLETE - 1 REACTIONS TO VERIFY FROM 1 DOCUMENTS

100.0% DONE 1 VERIFIED 0 HIT RXNS 0 DOCS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED VERIFICATIONS: 1 TO 79

PROJECTED ANSWERS: 0 TO 0

L5 0 SEA SSS SAM L4 (0 REACTIONS)

=> s l4 full

FULL SEARCH INITIATED 20:16:27 FILE 'CASREACT'

SCREENING COMPLETE - 29 REACTIONS TO VERIFY FROM 10 DOCUMENTS

100.0% DONE 29 VERIFIED 8 HIT RXNS 3 DOCS


SEARCH TIME: 00.00.01

L6 3 SEA SSS FUL L4 (8 REACTIONS)

=> d l6 1-3

L6 ANSWER 1 OF 3 CASREACT COPYRIGHT 2004 ACS on STN

RX(6) OF 7




Na

REF: Tetrahedron Letters, 42(42), 7481-7483; 2001
NOTE: stereoselective, >97% ee, 26.degree., 5 bar H₂

L6 ANSWER 2 OF 3 CASREACT COPYRIGHT 2004 ACS on STN


RX(5) OF 12



REF: Tetrahedron Letters, 40(11), 2187-2190; 1999
NOTE: stereoselective, examg. effect of chiral catalyst on asym. hydrogenation

L6 ANSWER 3 OF 3 CASREACT COPYRIGHT 2004 ACS on STN

RX(1) OF 19



REF: Eur. Pat. Appl., 644176, 22 Mar 1995
NOTE: STEREOSELECTIVE, CHIRAL HYDROGENATION CATALYST

=> fil caplus
COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
213.57	214.20

FILE 'CAPLUS' ENTERED AT 20:16:47 ON 11 MAY 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 11 May 2004 VOL 140 ISS 20
FILE LAST UPDATED: 10 May 2004 (20040510/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 16
L7

3 L6

=> d 17 1-3 abs ibib hitstr

L7 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
 AB The effectiveness of cyclooctadiene and norbornadiene precatalysts of the type [Rh(DuPHOS)(diolofin)]BF₄ in catalytic asym. hydrogenation of various prochiral olefins has been examined. In some of the systems studied, the NBD complex gave rise to the catalytically active species more rapidly than the corresponding COD complex, as expected. However, as catalyst loadings were reduced to levels more conducive to economic manufacture, the difference between the use of COD and NBD precatalysts became increasingly insignificant. This was conveniently highlighted by the formation of low enantiomeric excess products upon using an equimolar mixture of (S,S) and (R,R) precatalysts, bearing COD and NBD resp. With other substrates, the system displayed no induction time for either precatalyst and identical reaction profiles were observed.

ACCESSION NUMBER: 2001:708529 CAPLUS
 DOCUMENT NUMBER: 136:150744
 TITLE: On the economic application of DuPHOS rhodium(I) catalysts: a comparison of COD versus NBD

precatalysts
 AUTHOR(S): Cobley, C. J.; Lennon, I. C.; McCague, R.; Ramsden, J.
 A.; Zanotti-Gerosa, A.
 CORPORATE SOURCE: Chirotech Technology Ltd, Cambridge, CB4 0WG, UK
 SOURCE: Tetrahedron Letters (2001), 42(42), 7481-7483
 CODEN: TELEAY; ISSN: 0040-4039
 Elsevier Science Ltd.
 PUBLISHER: Journal
 DOCUMENT TYPE: English
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 136:150744
 REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L7 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
 AB A four step synthesis of a chiral glutarate half ester intermediate, required for the preparation of candoxatril, has been developed from t-Bu acrylate. The key steps in this route include a stereoselective synthesis of a trisubstituted alkene and its asym. hydrogenation with a Ru-BINAP catalyst.

ACCESSION NUMBER: 1999:180744 CAPLUS
 DOCUMENT NUMBER: 130:296436
 TITLE: Stereoselective synthesis of a candoxatril intermediate via asymmetric hydrogenation

AUTHOR(S): Challenger, Stephen; Derrick, Andrew; Mason, Clive F.;
 Silk, Terry V.
 CORPORATE SOURCE: Department of Process Research and Development, Pfizer
 SOURCE: Central Research, Sandwich Kent, CT13 9NJ, UK
 Tetrahedron Letters (1999), 40(11), 2187-2190
 CODEN: TELEAY; ISSN: 0040-4039
 Elsevier Science Ltd.
 PUBLISHER: Journal
 DOCUMENT TYPE: English
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 130:296436
 REFERENCE COUNT: 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L7 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
 GI For diagram(s), see printed CA Issue.
 AB Title compds. (I, II; R = 5-indanyl, protecting group), are prepared by hydrogenating (E)-allylic ethers (III) or (IV) in the presence of a stereoselective Rh or Ru biphosphine catalyst and a protic solvent.

Thus,
 III (R = Me₃C) cyclohexylamine salt and [(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]chloro(p-cymene)ruthenium chloride in H₂O/MeOH were hydrogenated at 60 psi and 45-50° for 19 h to give 68% I (R = CMe₃) cyclohexylamine salt (S:R = 99:1).

ACCESSION NUMBER: 1995:801435 CAPLUS
 DOCUMENT NUMBER: 124:55417
 TITLE: Asymmetric hydrogenation of (E)-1-[2-(tert-butoxycarbonyl)-3-(2-methoxyethoxy)prop-1-enyl]-1-cyclopentanecarboxylic acid and related compounds.

INVENTOR(S): Challenger, Stephen
 PATENT ASSIGNEE(S): Pfizer Ltd., UK
 SOURCE: Eur. Pat. Appl., 15 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 644176	A1	19950322	EP 1993-307517	19930922
EP 644176	B1	19951115		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT,				
SE				
AT 130292	E	19951215	AT 1993-307517	19930922
ES 2081183	T3	19960216	ES 1993-307517	19930922
CA 2172374	AA	19950330	CA 1994-2172374	19940909
CA 2172374	C	19980526		
WO 9508526	A1	19950330	WO 1994-EP3036	19940909
W: AU, BR, CA, CN, CZ, FI, HU, JP, KR, NO, NZ, PL, RU, US				
AU 9477812	A1	19950410	AU 1994-77812	19940909
AU 679787	B2	19970710		
CN 1131940	A	19960925	CN 1994-193488	19940909
JP 08509988	T2	19961022	JP 1994-509535	19940909
JP 2771038	B2	19980702		
HU 74101	A2	19961128	HU 1996-716	19940909
BR 9407598	A	19970107	BR 1994-7598	19940909
RU 2114103	C1	19980627	RU 1996-107759	19940909
ZA 9407330	A	19960322	ZA 1994-7330	19940921
US 5618970	A	19970408	US 1996-612940	19960307
FI 9601308	A	19960321	FI 1996-1308	19960321
NO 9601149	A	19960521	NO 1996-1149	19960321
PRIORITY APPLN. INFO.:			EP 1993-307517	A 19930922
			WO 1994-EP3036	W 19940909
OTHER SOURCE(S):			CASREACT 124:55417; MARPAT 124:55417	

=> logoff y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

10.25

224.45

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-2.08

-2.08

STN INTERNATIONAL LOGOFF AT 20:20:16 ON 11 MAY 2004